

Hibrid 1

Reg.broj 320-04-114/2012-11

PROIZVODNE KARAKTERISTIKE HIBRIDA

Lokalitet	Godina	Prinos semena - 9% vlage (kg/ha)		Sadržaj vlage (%)		Sadržaj ulja (%)		Prinos ulja (kg/ha)	
		Hibrid 1	Triangle	Hibrid 1	Triangle	Hibrid 1	Triangle	Hibrid 1	Triangle
Novi Sad	2012/13.	4081	4517	5,68	5,68	43,20	42,35	1604	1741
	2013/14.	4045	3691	7,29	6,73	42,60	42,70	1568	1434
	☒	4063	4104	6,48	6,20	42,90	42,53	1586	1587
Pančevo	2012/13.	5317	6353	9,53	9,30	45,27	43,83	2190	2534
	2013/14.	3460	4078	9,00	8,83	44,20	43,40	1392	1611
	☒	4388	5215	9,26	9,06	44,74	43,62	1791	2072
Sombor	2012/13.	3571	5208	8,78	9,28	43,71	41,46	1420	1965
	2013/14.	4079	5091	7,35	7,43	44,90	44,30	1667	2052
	☒	3825	5150	8,06	8,35	44,31	42,88	1544	2009
☒	2012/13.	4323	5359	7,99	8,08	44,06	42,55	1738	2080
	2013/14.	3861	4286	7,88	7,66	43,90	43,47	1542	1699
☒ (2012/13-2013/14.)		4092 ⁻	4823	7,94	7,87	43,98	43,01	1640	1889
d 0.05		354							
0.01		422							
Cv		9,35							

Godina	Sadržaj eruka* kiselina (%)		Sadržaj glukozinolata**	
	Hibrid 1	Triangle	Hibrid 1	Triangle
2012/13.	0,17	0,04	25,98	18,45
2013/14.	0,15	0,02	17,71	13,07
☒	0,16	0,03	21,85	15,76

* Sadržaj eruka kiselina određen je pre setve.

** Sadržaj glukozinolata dat je u $\mu\text{mol/g}$ suve materije

VISINA BILJKE, PUCANJE LJUSKE I OTPORNOST PREMA BOLESTIMA

Lokalitet	Godina	Visina biljke		Pucanje ljuske (1-9)		B o l e s t i					
						Bela trulež (1-9)		Tamnomrka pegavost (1-9)		Suva trulež (1-9)	
		Hibrid 1	Triangle	Hibrid 1	Triangle	Hibrid 1	Triangle	Hibrid 1	Triangle	Hibrid 1	Triangle
Novi Sad	2012/13.	162,9	170,2	1	1	1	1	1	1	1	1
	2013/14.	171,2	196,4	1	1	1	1	1	1	1	1
	☒	167,0	183,3	1,0	1,0	1,0	1,0	1,0	1,0	1,0	1,0
Pančevo	2012/13.	138,0	144,0	1	1	1	1	1	1	1	1
	2013/14.	144,0	165,0	1	1	1	1	1	1	1	1
	☒	141,0	154,5	1,0	1,0	1,0	1,0	1,0	1,0	1,0	1,0
Sombor	2012/13.	165,0	170,0			1	1	0	1	0	0
	2013/14.	171,8	168,8			1	0	1	0	1	0
	☒	168,4	169,4			1,0	0,5	0,5	0,5	0,5	0,0
☒ (2012/13-2013/14.)		158,8	169,1	1,00	1,00	1,00	0,83	0,83	0,83	0,83	0,67

Hibrid 2

Reg.broj 320-04-115/2012-11

PROIZVODNE KARAKTERISTIKE HIBRIDA

Lokalitet	Godina	Prinos semena - 9% vlage (kg/ha)		Sadržaj vlage (%)		Sadržaj ulja (%)		Prinos ulja (kg/ha)	
		Hibrid 2	Triangle	Hibrid 2	Triangle	Hibrid 2	Triangle	Hibrid 2	Triangle
Novi Sad	2012/13.	5507	4517	5,90	5,68	44,45	42,35	2227	1741
	2013/14.	4642	3691	7,52	6,73	41,20	42,70	1741	1434
	☒	5074	4104	6,71	6,20	42,83	42,53	1984	1587
Pančevo	2012/13.	4447	6353	10,18	9,30	43,73	43,83	1769	2534
	2013/14.	3186	4078	8,68	8,83	44,40	43,40	1287	1611
	☒	3816	5215	9,43	9,06	44,07	43,62	1528	2072
Sombor	2012/13.	4107	5208	9,40	9,28	42,83	41,46	1601	1965
	2013/14.	4328	5091	8,33	7,43	44,40	44,30	1749	2052
	☒	4218	5150	8,86	8,35	43,62	42,88	1675	2009
☒	2012/13.	4687	5359	8,49	8,08	43,67	42,55	1866	2080
	2013/14.	4052	4286	8,17	7,66	43,33	43,47	1592	1699
☒ (2012/13-2013/14.)		4370 [~]	4823	8,33	7,87	43,50	43,01	1729	1889
d 0.05		354							
0.01		422							
Cv		9,35							

Godina	Sadržaj eruka* kiselina (%)		Sadržaj glukozinolata**	
	Hibrid 2	Triangle	Hibrid 2	Triangle
2012/13.	0,31	0,04	23,76	18,45
2013/14.	0,30	0,02	19,63	13,07
☒	0,31	0,03	21,70	15,76

* Sadržaj eruka kiselina određen je pre setve.

** Sadržaj glukozinolata dat je u µmol/g suve materije

VISINA BILJKE, PUCANJE LJUSKE I OTPORNOST PREMA BOLESTIMA

Lokalitet	Godina	Visina biljke		Pucanje ljuske (1-9)		B o l e s t i					
						Bela trulež (1-9)		Tamnomrka pegavost (1-9)		Suva trulež (1-9)	
		Hibrid 2	Triangle	Hibrid 2	Triangle	Hibrid 2	Triangle	Hibrid 2	Triangle	Hibrid 2	Triangle
Novi Sad	2012/13.	169,9	170,2	1	1	1	1	1	1	1	1
	2013/14.	196,1	196,4	1	1	1	1	1	1	1	1
	☒	183,0	183,3	1,0	1,0	1,0	1,0	1,0	1,0	1,0	1,0
Pančevo	2012/13.	143,0	144,0	2	1	1	1	1	1	1	1
	2013/14.	159,0	165,0	1	1	1	1	1	1	1	1
	☒	151,0	154,5	1,5	1,0	1,0	1,0	1,0	1,0	1,0	1,0
Sombor	2012/13.	175,0	170,0			1	1	0	1	0	0
	2013/14.	176,5	168,8			0	0	0	0	0	0
	☒	175,8	169,4			0,5	0,5	0,0	0,5	0,0	0,0
☒ (2012/13-2013/14.)		169,9	169,1	1,25	1,00	0,83	0,83	0,67	0,83	0,67	0,67

Hibrid 3

Reg.broj 320-03-28/2012-11

PROIZVODNE KARAKTERISTIKE HIBRIDA

Lokalitet	Godina	Prinos semena - 9% vlage (kg/ha)		Sadržaj vlage (%)		Sadržaj ulja (%)		Prinos ulja (kg/ha)	
		Hibrid 3	Triangle	Hibrid 3	Triangle	Hibrid 3	Triangle	Hibrid 3	Triangle
Novi Sad	2012/13.	4877	4517	5,65	5,68	46,01	42,35	2042	1741
	2013/14.	4128	3691	6,62	6,73	42,80	42,70	1608	1434
	☒	4502	4104	6,14	6,20	44,41	42,53	1825	1587
Pančevo	2012/13.	6348	6353	10,08	9,30	45,03	43,83	2601	2534
	2013/14.	4013	4078	8,98	8,83	43,30	43,40	1581	1611
	☒	5181	5215	9,53	9,06	44,17	43,62	2091	2072
Sombor	2012/13.	4955	5208	8,23	9,28	44,26	41,46	1996	1965
	2013/14.	6086	5091	7,35	7,43	43,50	44,30	2409	2052
	☒	5520	5150	7,79	8,35	43,88	42,88	2202	2009
☒	2012/13.	5393	5359	7,98	8,08	45,10	42,55	2213	2080
	2013/14.	4742	4286	7,65	7,66	43,20	43,47	1866	1699
☒ (2012/13-2013/14.)		5068°	4823	7,82	7,87	44,15	43,01	2040	1889
d 0.05		354							
0.01		422							
Cv		9,35							

Godina	Sadržaj eruka* kiselina (%)		Sadržaj glukozinolata**	
	Hibrid 3	Triangle	Hibrid 3	Triangle
2012/13.	0,02	0,04	22,22	18,45
2013/14.	0,03	0,02	12,73	13,07
☒	0,03	0,03	17,48	15,76

* Sadržaj eruka kiselina određen je pre setve.

** Sadržaj glukozinolata dat je u µmol/g suve materije

VISINA BILJKE, PUCANJE LJUSKE I OTPORNOST PREMA BOLESTIMA

Lokalitet	Godina	Visina biljke		Pucanje ljuske (1-9)		B o l e s t i					
						Bela trulež (1-9)		Tamnomrka pegavost (1-9)		Suva trulež (1-9)	
		Hibrid 3	Triangle	Hibrid 3	Triangle	Hibrid 3	Triangle	Hibrid 3	Triangle	Hibrid 3	Triangle
Novi Sad	2012/13.	173,1	170,2	1	1	1	1	1	1	1	1
	2013/14.	196,4	196,4	1	1	1	1	1	1	1	1
	☒	184,8	183,3	1,0	1,0	1,0	1,0	1,0	1,0	1,0	1,0
Pančevo	2012/13.	155,0	144,0	1	1	1	1	1	1	1	1
	2013/14.	172,0	165,0	1	1	1	1	1	1	1	1
	☒	163,5	154,5	1,0	1,0	1,0	1,0	1,0	1,0	1,0	1,0
Sombor	2012/13.	175,0	170,0			0	1	1	1	0	0
	2013/14.	165,8	168,8			0	0	0	0	0	0
	☒	170,4	169,4			0,0	0,5	0,5	0,5	0,0	0,0
☒ (2012/13-2013/14.)		172,9	169,1	1,00	1,00	0,67	0,83	0,83	0,83	0,67	0,67

Hibrid 4

Reg.broj 320-04-122/2012-11

PROIZVODNE KARAKTERISTIKE HIBRIDA

Lokalitet	Godina	Prinos semena - 9% vlage (kg/ha)		Sadržaj vlage (%)		Sadržaj ulja (%)		Prinos ulja (kg/ha)	
		Hibrid 4	Triangle	Hibrid 4	Triangle	Hibrid 4	Triangle	Hibrid 4	Triangle
Novi Sad	2012/13.	5493	4517	5,55	5,68	45,05	42,35	2252	1741
	2013/14.	4605	3691	6,79	6,73	45,80	42,70	1919	1434
	☒	5049	4104	6,17	6,20	45,43	42,53	2086	1587
Pančevo	2012/13.	6038	6353	10,65	9,30	45,23	43,83	2485	2534
	2013/14.	4627	4078	9,18	8,83	44,30	43,40	1865	1611
	☒	5333	5215	9,91	9,06	44,77	43,62	2175	2072
Sombor	2012/13.	5467	5208	9,35	9,28	43,41	41,46	2160	1965
	2013/14.	5056	5091	7,38	7,43	45,80	44,30	2107	2052
	☒	5261	5150	8,36	8,35	44,61	42,88	2133	2009
☒	2012/13.	5666	5359	8,52	8,08	44,56	42,55	2299	2080
	2013/14.	4763	4286	7,78	7,66	45,30	43,47	1964	1699
☒ (2012/13-2013/14.)		5214 ⁺	4823	8,15	7,87	44,93	43,01	2131	1889
d 0.05		354							
0.01		422							
Cv		9,35							

Godina	Sadržaj eruka* kiselina (%)		Sadržaj glukozinolata**	
	Hibrid 4	Triangle	Hibrid 4	Triangle
2012/13.	0,05	0,04	25,52	18,45
2013/14.	0,02	0,02	12,8	13,07
☒	0,04	0,03	19,16	15,76

* Sadržaj eruka kiselina određen je pre setve.

** Sadržaj glukozinolata dat je u $\mu\text{mol/g}$ suve materije

VISINA BILJKE, PUCANJE LJUSKE I OTPORNOST PREMA BOLESTIMA

Lokalitet	Godina	Visina biljke		Pucanje ljuske (1-9)		B o l e s t i					
						Bela trulež (1-9)		Tamnomrka pegavost (1-9)		Suva trulež (1-9)	
		Hibrid 4	Triangle	Hibrid 4	Triangle	Hibrid 4	Triangle	Hibrid 4	Triangle	Hibrid 4	Triangle
Novi Sad	2012/13.	168,8	170,2	1	1	1	1	1	1	1	1
	2013/14.	197,5	196,4	1	1	1	1	1	1	1	1
	☒	183,2	183,3	1,0	1,0	1,0	1,0	1,0	1,0	1,0	1,0
Pančevo	2012/13.	138,0	144,0	1	1	1	1	1	1	1	1
	2013/14.	166,0	165,0	2	1	1	1	1	1	1	1
	☒	152,0	154,5	1,5	1,0	1,0	1,0	1,0	1,0	1,0	1,0
Sombor	2012/13.	185,0	170,0			1	1	1	1	0	0
	2013/14.	168,8	168,8			0	0	0	0	0	0
	☒	176,9	169,4			0,5	0,5	0,5	0,5	0,0	0,0
☒ (2012/13-2013/14.)		170,7	169,1	1,25	1,00	0,83	0,83	0,83	0,83	0,67	0,67

Hibrid 5

Reg.broj 320-04-22/2012-11

PROIZVODNE KARAKTERISTIKE HIBRIDA

Lokalitet	Godina	Prinos semena - 9% vlage (kg/ha)		Sadržaj vlage (%)		Sadržaj ulja (%)		Prinos ulja (kg/ha)	
		Hibrid 5	Triangle	Hibrid 5	Triangle	Hibrid 5	Triangle	Hibrid 5	Triangle
Novi Sad	2012/13.	5631	4517	6,05	5,68	45,01	42,35	2306	1741
	2013/14.	4015	3691	7,10	6,73	43,90	42,70	1604	1434
	☒	4823	4104	6,58	6,20	44,46	42,53	1955	1587
Pančevo	2012/13.	6117	6353	9,05	9,30	45,59	43,83	2538	2534
	2013/14.	4097	4078	9,10	8,83	42,40	43,40	1581	1611
	☒	5107	5215	9,08	9,06	44,00	43,62	2059	2072
Sombor	2012/13.	5297	5208	8,40	9,28	43,52	41,46	2098	1965
	2013/14.	4107	5091	7,28	7,43	45,50	44,30	1701	2052
	☒	4702	5150	7,84	8,35	44,51	42,88	1899	2009
☒	2012/13.	5681	5359	7,83	8,08	44,71	42,55	2314	2080
	2013/14.	4073	4286	7,83	7,66	43,93	43,47	1628	1699
☒ (2012/13-2013/14.)		4877°	4823	7,83	7,87	44,32	43,01	1971	1889
d 0.05		354							
0.01		422							
Cv		9,35							

Godina	Sadržaj eruka* kiselina (%)		Sadržaj glukozinolata**	
	Hibrid 5	Triangle	Hibrid 5	Triangle
2012/13.	0,06	0,04	21,66	18,45
2013/14.	0,09	0,02	14,24	13,07
☒	0,08	0,03	17,95	15,76

* Sadržaj eruka kiselina određen je pre setve.

** Sadržaj glukozinolata dat je u µmol/g suve materije

VISINA BILJKE, PUCANJE LJUSKE I OTPORNOST PREMA BOLESTIMA

Lokalitet	Godina	Visina biljke		Pucanje ljuske (1-9)		B o l e s t i					
						Bela trulež (1-9)		Tamnomrka pegavost (1-9)		Suva trulež (1-9)	
		Hibrid 5	Triangle	Hibrid 5	Triangle	Hibrid 5	Triangle	Hibrid 5	Triangle	Hibrid 5	Triangle
Novi Sad	2012/13.	183,7	170,2	1	1	1	1	1	1	1	1
	2013/14.	199,2	196,4	1	1	1	1	1	1	1	1
	☒	191,4	183,3	1,0	1,0	1,0	1,0	1,0	1,0	1,0	1,0
Pančevo	2012/13.	151,0	144,0	1	1	1	1	1	1	1	1
	2013/14.	174,0	165,0	1	1	1	1	1	1	1	1
	☒	162,5	154,5	1,0	1,0	1,0	1,0	1,0	1,0	1,0	1,0
Sombor	2012/13.	162,0	170,0			1	1	1	1	1	0
	2013/14.	173,0	168,8			0	0	0	0	0	0
	☒	167,5	169,4			0,5	0,5	0,5	0,5	0,5	0,0
☒ (2012/13-2013/14.)		173,8	169,1	1,00	1,00	0,83	0,83	0,83	0,83	0,83	0,67

Hibrid 6

Reg.broj 320-04-23/2012-11

PROIZVODNE KARAKTERISTIKE HIBRIDA

Lokalitet	Godina	Prinos semena - 9% vlage (kg/ha)		Sadržaj vlage (%)		Sadržaj ulja (%)		Prinos ulja (kg/ha)	
		Hibrid 6	Triangle	Hibrid 6	Triangle	Hibrid 6	Triangle	Hibrid 6	Triangle
Novi Sad	2012/13.	4862	4517	5,68	5,68	44,41	42,35	1965	1741
	2013/14.	4099	3691	7,01	6,73	41,10	42,70	1533	1434
	☒	4481	4104	6,34	6,20	42,76	42,53	1749	1587
Pančevo	2012/13.	6259	6353	9,60	9,30	44,86	43,83	2555	2534
	2013/14.	4546	4078	9,05	8,83	42,70	43,40	1766	1611
	☒	5402	5215	9,33	9,06	43,78	43,62	2161	2072
Sombor	2012/13.	5583	5208	9,48	9,28	42,32	41,46	2150	1965
	2013/14.	4720	5091	7,23	7,43	43,60	44,30	1873	2052
	☒	5151	5150	8,35	8,35	42,96	42,88	2011	2009
☒	2012/13.	5568	5359	8,25	8,08	43,86	42,55	2223	2080
	2013/14.	4455	4286	7,76	7,66	42,47	43,47	1724	1699
☒ (2012/13-2013/14.)		5011°	4823	8,01	7,87	43,17	43,01	1974	1889
d 0.05		354							
0.01		422							
Cv		9,35							

Godina	Sadržaj eruka* kiselina (%)		Sadržaj glukozinolata**	
	Hibrid 6	Triangle	Hibrid 6	Triangle
2012/13.	0,02	0,04	18,68	18,45
2013/14.	0,04	0,02	14,24	13,07
☒	0,03	0,03	16,46	15,76

* Sadržaj eruka kiselina određen je pre setve.

** Sadržaj glukozinolata dat je u µmol/g suve materije

VISINA BILJKE, PUCANJE LJUSKE I OTPORNOST PREMA BOLESTIMA

Lokalitet	Godina	Visina biljke		Pucanje ljuske (1-9)		B o l e s t i					
						Bela trulež (1-9)		Tamnomrka pegavost (1-9)		Suva trulež (1-9)	
		Hibrid 6	Triangle	Hibrid 6	Triangle	Hibrid 6	Triangle	Hibrid 6	Triangle	Hibrid 6	Triangle
Novi Sad	2012/13.	183,2	170,2	1	1	1	1	1	1	1	1
	2013/14.	198,8	196,4	1	1	1	1	1	1	1	1
	☒	191,0	183,3	1,0	1,0	1,0	1,0	1,0	1,0	1,0	1,0
Pančevo	2012/13.	165,0	144,0	1	1	1	1	1	1	1	1
	2013/14.	154,0	165,0	1	1	1	1	1	1	1	1
	☒	159,5	154,5	1,0	1,0	1,0	1,0	1,0	1,0	1,0	1,0
Sombor	2012/13.	172,0	170,0			2	1	1	1	0	0
	2013/14.	171,0	168,8			0	0	0	0	0	0
	☒	171,5	169,4			0,8	0,5	0,3	0,5	0,0	0,0
☒ (2012/13-2013/14.)		174,0	169,1	1,00	1,00	0,92	0,83	0,75	0,83	0,67	0,67

Hibrid 7

Reg.broj 320-04-24/2012-11

PROIZVODNE KARAKTERISTIKE HIBRIDA

Lokalitet	Godina	Prinos semena - 9% vlage (kg/ha)		Sadržaj vlage (%)		Sadržaj ulja (%)		Prinos ulja (kg/ha)	
		Hibrid 7	Triangle	Hibrid 7	Triangle	Hibrid 7	Triangle	Hibrid 7	Triangle
Novi Sad	2012/13.	5429	4517	5,58	5,68	45,41	42,35	2244	1741
	2013/14.	4584	3691	6,79	6,73	42,90	42,70	1790	1434
	☒	5007	4104	6,18	6,20	44,16	42,53	2017	1587
Pančevo	2012/13.	5780	6353	9,25	9,30	45,66	43,83	2401	2534
	2013/14.	4358	4078	8,25	8,83	44,40	43,40	1761	1611
	☒	5069	5215	8,75	9,06	45,03	43,62	2081	2072
Sombor	2012/13.	5574	5208	8,40	9,28	44,76	41,46	2271	1965
	2013/14.	4692	5091	7,40	7,43	45,30	44,30	1934	2052
	☒	5133	5150	7,90	8,35	45,03	42,88	2102	2009
☒	2012/13.	5595	5359	7,74	8,08	45,28	42,55	2305	2080
	2013/14.	4545	4286	7,48	7,66	44,20	43,47	1828	1699
☒ (2012/13-2013/14.)		5070°	4823	7,61	7,87	44,74	43,01	2067	1889
d 0.05		354							
0.01		422							
Cv		9,35							

Godina	Sadržaj eruka* kiselina (%)		Sadržaj glukozinolata**	
	Hibrid 7	Triangle	Hibrid 7	Triangle
2012/13.	0,05	0,03	23,24	18,45
2013/14.	0,05	0,02	16,85	13,07
☒	0,05	0,03	20,05	15,76

* Sadržaj eruka kiselina određen je pre setve.

** Sadržaj glukozinolata dat je u µmol/g suve materije

VISINA BILJKE, PUCANJE LJUSKE I OTPORNOST PREMA BOLESTIMA

Lokalitet	Godina	Visina biljke		Pucanje ljuske (1-9)		B o l e s t i					
						Bela trulež (1-9)		Tamnomrka pegavost (1-9)		Suva trulež (1-9)	
		Hibrid 7	Triangle	Hibrid 7	Triangle	Hibrid 7	Triangle	Hibrid 7	Triangle	Hibrid 7	Triangle
Novi Sad	2012/13.	175,7	170,2	1	1	1	1	1	1	1	1
	2013/14.	199,1	196,4	1	1	1	1	1	1	1	1
	☒	187,4	183,3	1,0	1,0	1,0	1,0	1,0	1,0	1,0	1,0
Pančevo	2012/13.	157,0	144,0	1	1	1	1	1	1	1	1
	2013/14.	169,0	165,0	1	1	1	1	1	1	1	1
	☒	163,0	154,5	1,0	1,0	1,0	1,0	1,0	1,0	1,0	1,0
Sombor	2012/13.	165,0	170,0			1	1	1	1	0	0
	2013/14.	175,5	168,8			2	0	0	0	0	0
	☒	170,3	169,4			1,3	0,5	0,5	0,5	0,0	0,0
☒ (2012/13-2013/14.)		173,6	169,1	1,00	1,00	1,08	0,83	0,83	0,83	0,67	0,67

Hibrid 8

Reg.broj 320-04-123/2012-11

PROIZVODNE KARAKTERISTIKE HIBRIDA

Lokalitet	Godina	Prinos semena - 9% vlage (kg/ha)		Sadržaj vlage (%)		Sadržaj ulja (%)		Prinos ulja (kg/ha)	
		Hibrid 8	Triangle	Hibrid 8	Triangle	Hibrid 8	Triangle	Hibrid 8	Triangle
Novi Sad	2012/13.	4854	4113	5,73	5,65	43,13	41,21	1905	1542
	2013/14.	4948	5039	6,56	6,93	45,10	43,60	2031	1999
	☒	4901	4576	6,14	6,29	44,12	42,41	1968	1771
Pančevo	2012/13.	5914	5849	10,65	10,93	42,95	43,27	2311	2303
	2013/14.	4557	4278	9,10	9,23	42,70	42,10	1771	1639
	☒	5235	5064	9,88	10,08	42,83	42,69	2041	1971
Sombor	2012/13.	4360	4844	9,31	8,88	39,64	40,28	1573	1776
	2013/14.	4653	3781	7,03	6,83	44,10	42,90	1867	1476
	☒	4506	4313	8,17	7,85	41,87	41,59	1720	1626
☒	2012/13.	5043	4935	8,56	8,48	41,91	41,59	1930	1874
	2013/14.	4719	4366	7,56	7,66	43,97	42,87	1889	1705
☒ (2012/13-2013/14.)		4881°	4651	8,06	8,07	42,94	42,23	1910	1789
d		0.05	250						
		0.01	318						
Cv			7,79						

Godina	Sadržaj eruka* kiselina (%)		Sadržaj glukozinolata**	
	Hibrid 8	Triangle	Hibrid 8	Triangle
2012/13.	0,01	0,04	16,05	13,93
2013/14.	0,02	0,02	12,63	13,07
☒	0,02	0,03	14,34	13,50

* Sadržaj eruka kiselina određen je pre setve.

** Sadržaj glukozinolata dat je u µmol/g suve materije

VISINA BILJKE, PUCANJE LJUSKE I OTPORNOST PREMA BOLESTIMA

Lokalitet	Godina	Visina biljke		Pucanje ljuske (1-9)		B o l e s t i					
						Bela trulež (1-9)		Tamnomrka pegavost (1-9)		Suva trulež (1-9)	
		Hibrid 8	Triangle	Hibrid 8	Triangle	Hibrid 8	Triangle	Hibrid 8	Triangle	Hibrid 8	Triangle
Novi Sad	2012/13.	155,1	162,3	1	1	1	1	1	1	1	1
	2013/14.	194,9	198,9	1	1	1	1	1	1	1	1
	☒	175,0	180,6	1,0	1,0	1,0	1,0	1,0	1,0	1,0	1,0
Pančevo	2012/13.	149,0	138,0	1	1	1	1	1	1	1	1
	2013/14.	146,0	143,0	1	1	1	1	1	1	1	1
	☒	147,5	140,5	1,0	1,0	1,0	1,0	1,0	1,0	1,0	1,0
Sombor	2012/13.	170,0	176,0			0	1	0	0	0	0
	2013/14.	161,0	161,3			0	0	2	0	0	0
	☒	165,5	168,6			0,0	0,3	0,8	0,0	0,0	0,0
☒ (2012/13-2013/14.)		162,7	163,2	1,00	1,00	0,67	0,75	0,92	0,67	0,67	0,67

Hibrid 9

Reg.broj 320-04-21/2012-11

PROIZVODNE KARAKTERISTIKE HIBRIDA

Lokalitet	Godina	Prinos semena - 9% vlage (kg/ha)		Sadržaj vlage (%)		Sadržaj ulja (%)		Prinos ulja (kg/ha)	
		Hibrid 9	Triangle	Hibrid 9	Triangle	Hibrid 9	Triangle	Hibrid 9	Triangle
Novi Sad	2012/13.	4565	4113	5,80	5,65	43,85	41,21	1821	1542
	2013/14.	5108	5039	6,98	6,93	42,90	43,60	1994	1999
	☒	4836	4576	6,39	6,29	43,38	42,41	1908	1771
Pančevo	2012/13.	6058	5849	10,90	10,93	44,06	43,27	2429	2303
	2013/14.	4469	4278	9,43	9,23	43,10	42,10	1753	1639
	☒	5264	5064	10,16	10,08	43,58	42,69	2091	1971
Sombor	2012/13.	4565	4844	9,20	8,88	40,26	40,28	1672	1776
	2013/14.	5008	3781	7,05	6,83	42,90	42,90	1955	1476
	☒	4787	4313	8,13	7,85	41,58	41,59	1814	1626
☒	2012/13.	5063	4935	8,63	8,48	42,72	41,59	1974	1874
	2013/14.	4862	4366	7,82	7,66	42,97	42,87	1901	1705
☒ (2012/13-2013/14.)		4962 ⁺	4651	8,23	8,07	42,85	42,23	1938	1789
d 0.05		250							
0.01		318							
Cv		7,79							

Godina	Sadržaj eruka* kiselina (%)		Sadržaj glukozinolata**	
	Hibrid 9	Triangle	Hibrid 9	Triangle
2012/13.	0,03	0,03	33,07	13,93
2013/14.	0,02	0,02	17,75	13,07
☒	0,03	0,03	25,41	13,50

* Sadržaj eruka kiselina određen je pre setve.

** Sadržaj glukozinolata dat je u µmol/g suve materije

VISINA BILJKE, PUCANJE LJUSKE I OTPORNOST PREMA BOLESTIMA

Lokalitet	Godina	Visina biljke		Pucanje ljuske (1-9)		B o l e s t i					
						Bela trulež (1-9)		Tamnomrka pegavost (1-9)		Suva trulež (1-9)	
		Hibrid 9	Triangle	Hibrid 9	Triangle	Hibrid 9	Triangle	Hibrid 9	Triangle	Hibrid 9	Triangle
Novi Sad	2012/13.	161,6	162,3	1	1	1	1	1	1	1	1
	2013/14.	193,1	198,9	1	1	1	1	1	1	1	1
	☒	177,3	180,6	1,0	1,0	1,0	1,0	1,0	1,0	1,0	1,0
Pančevo	2012/13.	160,0	138,0	1	1	1	1	1	1	1	1
	2013/14.	151,0	143,0	1	1	1	1	1	1	1	1
	☒	155,5	140,5	1,0	1,0	1,0	1,0	1,0	1,0	1,0	1,0
Sombor	2012/13.	162,0	176,0			1	1	1	0	0	0
	2013/14.	170,5	161,3			0	0	0	0	0	0
	☒	166,3	168,6			0,3	0,3	0,3	0,0	0,0	0,0
☒ (2012/13-2013/14.)		166,4	163,2	1,00	1,00	0,75	0,75	0,75	0,67	0,67	0,67